

December 1, 1995

Mr. Pad Quinn
Port of Portland
PO Box 3529
Portland, Oregon 97208

RE:

Sampling and Analysis of Fill Soil for Terminal 5

Rivergate Industrial District

Portland, Oregon

Dear Pad:

Century West Engineering Corporation (Century West) was retained by the Port of Portland to perform soil sampling of fill material to be used at the Port of Portland's Marine Terminal 5. The investigation of potential contamination of petroleum hydrocarbons, metals, and volatile organics consisted of obtaining representative composite soil samples from approximately 200,000 cubic yards of soil staged at seven locations in the Rivergate Industrial District.

This letter report presents sample locations and collection activities and analytical test results compared to the Oregon Soil Cleanup Table presented as Appendix 1 in the Oregon Department of Environmental Quality's (DEQ) Soil Cleanup Table (OAR 340-122-045 and 046).

#### Soil Sample Locations and Activities

The focus of the fill sampling program was to collect chemical and physical data to explore the presence of petroleum hydrocarbons, total organic halogens, and total metals (arsenic, barium, cadmium, chromium, lead, mercury, selenium, and silver) in composite soil samples collected from seven fill sources. One composite soil sample, consisting of soil from four locations, was obtained for each approximated 10,000 cubic yards.

The fill sources were all located within the Rivergate Industrial District on properties owned by the Port of Portland. Each fill source location was identified numerically as Site 1 through Site 7 (Figure 1) and contained varying amounts of fill material. Figures 2 through 8 show Sites 1 through 7, respectively, and soil sampling locations. Each site was divided into sections approximately 10,000 cubic yards in volume and labeled alphabetically. One composite soil sample was obtained from each section. Soil samples were labeled according to which site and which section of the site they were obtained (e.g., Sample S-1A was obtained from site 1, section A). Table 1, attached, describes each of the sites, including a brief description of the soil types and approximately depths tat the samples were obtained.

hs 128

LEADING THROUGH EFFECTIVE SOLUTIONS

#### Sample Collection Procedures

Century West implemented the Port of Portland's Sampling and Analysis Plan - Fill Sources for Terminal 5, dated July 1995. Composite samples were obtained by approximating 10,000 cubic yards, spacing four stakes within that volume, and collecting a soil sample and headspace sample from each location into laboratory-prepared sample containers. The four soil samples were then mixed in a decontaminated stainless steel bowl and placed into a clean, laboratory-prepared container. Soil samples were collected at depths varying from one-half to four feet.

Samples collected were screened in the field for visual indications of petroleum hydrocarbons and were subjected to a headspace test with a photoionization detector (PID) to assess the possible presence of volatile organic compounds. The headspace test was conducted by placing soil from each discrete sampling location into glass jars (filled less than half full), covered with aluminum foil prior to capping, and allowing to warm to room temperature. Measurements were made within one-half hour of collection by pushing the PID probe through the foil cover. The PID was calibrated using a manufacturer supplied standard gas. The headspace readings were used to determine if analysis for halogenated solvents was necessary.

A chain-of-custody record was used to track possession of each sample and document the requested analyses. The chain-of-custody record accompanied the samples from sample preparation to sample analysis.

To minimize the potential for cross-contamination, all sampling equipment was cleaned before each sample collection. The decontamination procedure consisted of washing with an Alconox® solution, rinsing with tap water, and rinsing with distilled water.

#### **Analytical Testing and Results**

All of the composite soil samples were submitted for analysis for total petroleum hydrocarbons (TPH) identification using Oregon DEQ Method TPH-HCID and for total metals (arsenic, barium, cadmium, chromium, lead, mercury, selenium, and silver) using EPA Methods 6010 and 7470. Analytical test results did not reveal TPH in any of the soil samples. Headspace readings for all of the samples were zero. Therefore, in accordance with the Port's directions, none of the samples were submitted for halogenated organics analysis. Table 2, attached, summarizes the analytical test results for total metals and includes cleanup levels for Industrial Sites from DEQ's Soil Cleanup Manual, Appendix 1. Analytical laboratory reports are included as an attachment.

Concentrations of barium, chromium, lead, mercury, selenium, and silver are well below cleanup

Port of Portland T-5, Portland, Oregon Page 2

December 1, 1995 40038-101-01 levels for industrial. Cadmium was not detected in any of the soil samples. Arsenic was detected at concentrations slightly above the industrial cleanup level of 3 ppm in soils at site 2 and site 3. The highest detected concentration of arsenic was 4.07 ppm and was obtained from site 3. Arsenic is a common background element in this area and, given the low levels of arsenic detected, Century West recommends no further action regarding the soil at sites 2 and 3.

This recommendation is supported by Century West's Remedial Investigation/Feasibility Study (RI/FS) for the Schnitzer Moody Avenue property, dated May 1990, and the South Waterfront Redevelopment Area, dated October 2, 1992 (Figure 9). The projects included collection of twenty two soil samples from investigative borings and test pits for analysis for total metals. Statistical analysis of the test data established a background level for arsenic of 46.0 ppm for the Schnitzer Moody Avenue property. The DEQ requested additional supporting data for the arsenic background level for the South Waterfront Area. The data used to calculate the arsenic background concentration of 46.0 ppm was re-analyzed in accordance with EPA guidelines to verify that there were no outliers in the data set. As recommended by the DEQ, the arithmetic mean of the arsenic data, plus two standard deviations were used to establish the upper bound of the arsenic data at the 95 percent confidence level. Based on this statistical analysis, 36.1 ppm was established as the background for arsenic in soil.

Please call the undersigned at (503) 231-6078 if you have any questions regarding this project.

Sincerely,

Alice J. Larsen

Project Manager

Thomas B. Gainer, P.E.

Senior Environmental Engineer

Attachments:

Table 1 - Fill Source Sampling Sites

Table 2 - Analytical Test Results - Total Metals

Figure 1 - Site Vicinity Map

Figure 2 - Site 1

Figure 3 - Site 2

Figure 4 - Site 3

Figure 5 - Site 4

Port of Portland

T-5, Portland, Oregon

Page 3

December 1, 1995 40038-101-01

Figure 6 - Site 5 Figure 7 - Site 6

Figure 8 - Site 7

Figure 9 - Schnitzer Moody and South Waterfront Projects

**Analytical Laboratory Reports** 

Port of Portland T-5, Portland, Oregon

Page 4

December 1, 1995 40038-101-01

**TABLES** 

## TABLE 1 FILL SOURCE SAMPLING SITES

# Port of Portland Rivergate Industrial District Portland: Oregon

		Portland	, Oregon	
Fill Source Identification	Site Location	Cubic Yards	No. of Samples	Comments
Site 1	On the south site of North Marine Drive between North Bybee Lake and NW Factory Group, Inc.	50,000	5	Fill material consisted of loose, gray, medium sand and was stockpiled on the site. Samples from the top of the pile to were obtained 2 to 4 feet below ground surface (bgs). Soil samples along the south side of the pile were obtained 7 to 12 feet from the top of the pile.
Site 2	Just inside and to the north of the gates to Western Transportation on North Rivergate Blvd	35,000	2	Fill material consisted of brown, hard, fine to medium sands. The material was above-grade and covered with vegetation. Soil samples were collected between 1 and 4-1/2 feet bgs.
Site 3	Under transmission power lines on both sides of Time Oil Road, just south of Western Transportation	100,000	10	Fill on west side of road consisted of unearthed sandy soils on a future wetland mitigation site. Unearthed sandy soil with barkdust to 8 inches in some areas was sampled on the east side of the road. Soil samples were obtained between ½ and 3-½ feet bgs.
Site 4	On North Lombard Street, across from Land O'Lakes	50,000	5	Approximately one-half of fill was stockpiled and the rest was surface scrapings. All of the soil consisted of loose, gray, well-sorted sand. Soil samples were obtained ½ to 3 feet bgs in the surface scrapings. The soils obtained from the pile were collected between 1 and 6 feet from the top of the pile.
Site 5	North of Access Road to Terminal 5	15,000	2	Fill material consisted of loose, sandy soils. The material was above-grade and covered with vegetation. Soil samples were obtained from depths between 2 and 5 bgs.

# TABLE 1 (Cont.) FILL SOURCE SAMPLING SITES Port of Portland Rivergate Industrial District Portland, Oregon

Fill Source Identification	Site Location	Cúbic Yards		Comments
Site 6	South corner of Terminal 5, near Oregon Steel Mill's lagoon and Union Pacific railroad	15,000	2	Most of the fill was loose, gray medium sams Some was gravel ½" minus and sand. Most of the fill was stockpiled in several small piles are one large pile. The rest was spread around Samples were collected from selected pile approximately 3 feet below the top of the pile Samples were obtained from ½ to 2-1/2 feet below grade in the soil that was spread around
Site 7	Future extension of North Leadbetter Road	15,000	2	Fill was loose, brown, sandy surface scraping Soil samples were obtained from the surfact down to approximately I foot below grade.

## TABLE 2 ANALYTICAL TEST RESULTS - TOTAL METALS


#### Port of Portland Rivergate Industrial District Portland, Oregon


Rentification	Sámple			Concen	tration in Par	ts per Millio	n (ppm)				
S-1A	Identification	Arsenic	Barium					Selenium	Silver		
S-1C	S-1A	**************************************							<0.3		
S-1D         1.83         59.7         <0.2         11.4         <2.5         <0.02         <5.0         <0.3           S-1E         1.74         50         <0.2	S-1B	1.52	54.4	<0.2	10.2	3.4	0.02	<5.0	<0.3		
S-1E         1.74         50         <0.2         9.22         2.6         <0.02         <5.0         <0.3           S-2A         3.6         74.5         <0.2	S-1C	1.56	62.8	<0.2	11.2	<2.5	<0.02	<5.0	<0.3		
S-2A         3.6         74.5         <0.2         14.7         8         0.024         <5.0         <0.3           S-2B         3.67         84.6         <0.2	S-1D	1.83	59.7	<0.2	11.4	<2.5	<0.02	<5.0	<0.3		
S-2B         3.67         84.6         <0.2         17.1         6.6         <0.02         <5.0         <0.3           S-3A         4         79.8         <0.2	S-1E	1.74	50	<0.2	9.22	2.6	<0.02	<5.0	<0.3		
S-2B         3.67         84.6         <0.2         17.1         6.6         <0.02         <5.0         <0.3           S-3A         4         79.8         <0.2	S-2A	3.6	74.5	<0.2	14.7	8	0.024	<5.0	<0.3		
S-3B         3.65         69.7         <0.2         17.5         6.4         0.021         <5.0         <0.3           S-3C         2.9         71.2         <0.2	S-2B	3.67	84.6	<0.2	17.1	6.6	<0.02	<5.0	<0.3		
S-3B         3.65         69.7         <0.2         17.5         6.4         0.021         <5.0         <0.3           S-3C         2.9         71.2         <0.2	S-3A	4	79.8	<0,2	17.2	5.6	0.021	<5.0	<0.3		
S-3D	S-3B	3.65		<0.2	17.5	6.4	0.021	<5.0	<0.3		
S-3E         3.2         80.8         <0.2         13.4         5.9         0.036         <5.0         <0.3           S-3F         3.97         83.8         <0.2	S-3C	2.9	71.2	<0.2	11.8	5.3	0.023	<5.0	<0.3		
S-3F 3.97 83.8 <0.2 18 6 0.023 <5.0 <0.3 S-3G 3.71 74 <0.2 14.5 4.08 <0.02 <5.0 <0.3 S-3H 3.94 81.9 <0.2 15.9 6.9 0.032 <5.0 <0.3 S-3I 4.07 82.4 <0.2 16.5 3.3 0.024 <5.0 <0.3 S-3J 3.92 80.8 <0.2 16.1 3.9 <0.02 <5.0 <0.3 S-3Z (Duplicate of S-3G) 3.7 79.8 <0.2 15.2 5.4 <0.02 <5.0 <0.3 S-4A 1.5 55.2 <0.2 10.6 <2.5 <0.02 <5.0 <0.3 S-4B 1.7 59.8 <0.2 11.8 <2.5 <0.02 <5.0 <0.3 S-4C 1.6 49.7 <0.2 12.1 <2.5 <0.02 <5.0 <0.3 S-4E 1.4 56.4 <0.2 13.8 3.2 <0.02 <5.0 <0.3 S-4Z (Duplicate of S-4D) 1.5 50.4 <0.2 13.8 3.2 <0.02 <5.0 <0.3 S-5A 1.5 65.9 <0.2 13.7 3.3 <0.02 <5.0 <0.3 S-5B 1.3 83.8 <0.2 22 4 0.022 <5.0 <0.3 S-6A 1.8 43.1 <0.2 10.3 3.5 0.02 <5.0 <0.3 S-6B 1 90.8 <0.2 13.6 5 0.02 <5.0 <0.3 S-7A 1.5 92.3 <0.2 7.43 2.8 0.025 <5.0 <0.3 S-7B 1.9 74 <0.2 11.3 4.9 <0.02 <5.0 <0.3 Soil Cleanup Levels in ppm (OAR 340-122-045)	S-3D	2.9	54.5	<0.2	11.8		0.021	<5.0	<0.3		
S-3G         3.71         74         <0.2         14.5         4.08         <0.02         <5.0         <0.3           S-3H         3.94         81.9         <0.2	S-3E	3.2	80.8	<0.2	13.4	5.9	0.036	<5.0	<0.3		
S-3H         3.94         81.9         <0.2         15.9         6.9         0.032         <5.0         <0.3           S-3I         4.07         82.4         <0.2	S-3F	3.97	83.8	<0.2	18	6	0.023	<5.0	<0.3		
S-3I	S-3G	3.71	74	<0.2	14.5	4.08	<0.02	<5.0	<0.3		
S-3J 3.92 80.8 <0.2 16.1 3.9 <0.02 <5.0 <0.3 S-3Z (Duplicate of S-3G) 3.7 79.8 <0.2 15.2 5.4 <0.02 <5.0 <0.3 S-4A 1.5 55.2 <0.2 10.6 <2.5 <0.02 <5.0 <0.3 S-4B 1.7 59.8 <0.2 11.8 <2.5 <0.02 <5.0 <0.3 S-4C 1.6 49.7 <0.2 12.1 <2.5 <0.02 <5.0 <0.3 S-4D 1.5 49.4 <0.2 8.88 <2.5 <0.02 <5.0 <0.3 S-4E 1.4 56.4 <0.2 13.8 3.2 <0.02 <5.0 <0.3 S-4Z (Duplicate of S-4D) 1.5 50.4 <0.2 9.75 <2.5 <0.02 <5.0 <0.3 S-5A 1.5 65.9 <0.2 13.7 3.3 <0.02 <5.0 <0.3 S-5B 1.3 83.8 <0.2 22 4 0.022 <5.0 <0.3 S-6A 1.8 43.1 <0.2 10.3 3.5 0.02 <5.0 <0.3 S-6B 1 90.8 <0.2 13.6 5 0.023 <5.0 <0.3 S-7A 1.5 92.3 <0.2 7.43 2.8 0.025 <5.0 <0.3 S-7B 1.9 74 <0.2 11.3 4.9 <0.02 <5.0 <0.3 Soil Cleanup Levels in ppm (OAR 340-122-045)	S-3H	3.94	81.9	<0.2	15.9	6.9	0.032	<5.0	<0.3		
S-3Z	S-3I	4.07	82.4	<0.2	16.5	3.3	0.024	<5.0	<0.3		
(Duplicate of S-3G) 3.7 79.8 <0.2 15.2 5.4 <0.02 <5.0 <0.3 S-4A 1.5 55.2 <0.2 10.6 <2.5 <0.02 <5.0 <0.3 S-4B 1.7 59.8 <0.2 11.8 <2.5 <0.02 <5.0 <0.3 S-4C 1.6 49.7 <0.2 12.1 <2.5 <0.02 <5.0 <0.3 S-4D 1.5 49.4 <0.2 8.88 <2.5 <0.02 <5.0 <0.3 S-4E 1.4 56.4 <0.2 13.8 3.2 <0.02 <5.0 <0.3 S-4Z (Duplicate of S-4D) 1.5 50.4 <0.2 9.75 <2.5 <0.02 <5.0 <0.3 S-5A 1.5 65.9 <0.2 13.7 3.3 <0.02 <5.0 <0.3 S-5B 1.3 83.8 <0.2 22 4 0.022 <5.0 <0.3 S-6A 1.8 43.1 <0.2 10.3 3.5 0.02 <5.0 <0.3 S-6B 1 90.8 <0.2 13.6 5 0.02 <5.0 <0.3 S-7A 1.5 92.3 <0.2 7.43 2.8 0.025 <5.0 <0.3 Soil Cleanup Levels in ppm (OAR 340-122-045) Industrial Sites 3 140,000 1.00 1,000 1,500 2,000 600 10,000	S-3J	3.92	80.8	<0.2	16.1	3.9	<0.02	<5.0	<0.3		
S-4A         1.5         55.2         <0.2         10.6         <2.5         <0.02         <5.0         <0.3           S-4B         1.7         59.8         <0.2	S-3Z										
S-4B       1.7       59.8       <0.2	(Duplicate of S-3G)	3.7	79.8	<0.2	15.2	5.4	<0.02	<5.0	<0.3		
S-4C	S-4A	1.5	55.2	<0.2	10.6	<2.5	< 0.02	<5.0	<0.3		
S-4D	S-4B	1.7	59.8	<0.2	11.8	<2.5	<0.02	<5.0	<0.3		
S-4E       1,4       56.4       <0.2       13.8       3.2       <0.02       <5.0       <0.3         S-4Z       (Duplicate of S-4D)       1.5       50.4       <0.2       9.75       <2.5       <0.02       <5.0       <0.3         S-5A       1.5       65.9       <0.2       13.7       3.3       <0.02       <5.0       <0.3         S-5B       1.3       83.8       <0.2       22       4       0.022       <5.0       <0.3         S-6A       1.8       43.1       <0.2       10.3       3.5       0.02       <5.0       <0.3         S-6B       1       90.8       <0.2       13.6       5       0.023       <5.0       <0.3         S-7A       1.5       92.3       <0.2       7.43       2.8       0.025       <5.0       <0.3         S-7B       1.9       74       <0.2       11.3       4.9       <0.02       <5.0       <0.3         Soil Cleanup Levels in ppm (OAR 340-122-045)         Industrial Sites       3       140,000       1.00       1,000       1,500       2,000       600       10,000	S-4C	1,6	49.7	<0.2	12.1	<2.5	<0.02	<5.0	<0.3		
S-4Z         (Duplicate of S-4D)         1.5         50.4         <0.2         9.75         <2.5         <0.02         <5.0         <0.3           S-5A         1.5         65.9         <0.2	S-4D	1.5	49.4	<0.2	8.88		<0.02	<5.0	<0.3		
(Duplicate of S-4D)         1.5         50.4         <0.2         9.75         <2.5         <0.02         <5.0         <0.3           S-5A         1.5         65.9         <0.2	S-4E	1.4	56.4	<0.2	13.8	3.2	<0.02	<5.0	<0.3		
S-5A         1.5         65.9         <0.2         13.7         3.3         <0.02         <5.0         <0.3           S-5B         1.3         83.8         <0.2         22         4         0.022         <5.0         <0.3           S-6A         1.8         43.1         <0.2         10.3         3.5         0.02         <5.0         <0.3           S-6B         1         90.8         <0.2         13.6         5         0.023         <5.0         <0.3           S-7A         1.5         92.3         <0.2         7.43         2.8         0.025         <5.0         <0.3           S-7B         1.9         74         <0.2         11.3         4.9         <0.02         <5.0         <0.3           Soil Cleanup Levels in ppm (OAR 340-122-045)           Industrial Sites         3         140,000         1.00         1,000         1,500         2,000         600         10,000	S-4Z										
S-5B     1.3     83.8     <0.2	(Duplicate of S-4D)	1.5	50.4	<0.2	9.75	<2.5	<0.02	<5.0	<0.3		
S-6A         1.8         43.1         <0.2         10.3         3.5         0.02         <5.0         <0.3           S-6B         1         90.8         <0.2         13.6         5         0.023         <5.0         <0.3           S-7A         1.5         92.3         <0.2         7.43         2.8         0.025         <5.0         <0.3           S-7B         1.9         74         <0.2         11.3         4.9         <0.02         <5.0         <0.3           Soil Cleanup Levels in ppm (OAR 340-122-045)           Industrial Sites         3         140,000         1.00         1,000         1,500         2,000         600         10,000	S-5A	1.5	65,9	<0.2	13.7	3.3	<0.02	<5.0	<0.3		
S-6B     1     90.8     <0.2     13.6     5     0.023     <5.0     <0.3       S-7A     1.5     92.3     <0.2     7.43     2.8     0.025     <5.0     <0.3       S-7B     1.9     74     <0.2     11.3     4.9     <0.02     <5.0     <0.3       Soil Cleanup Levels in ppm (OAR 340-122-045)       Industrial Sites     3     140,000     1.00     1,000     1,500     2,000     600     10,000	S-5B	1.3	83.8	<0.2	22	4	0.022	<5.0	< 0.3		
S-7A 1.5 92.3 <0.2 7.43 2.8 0.025 <5.0 <0.3 S-7B 1.9 74 <0.2 11.3 4.9 <0.02 <5.0 <0.3	S-6A	1.8	43.1	<0.2	10.3	3.5	0.02	<5.0	<0.3		
S-7A 1.5 92.3 <0.2 7.43 2.8 0.025 <5.0 <0.3 S-7B 1.9 74 <0.2 11.3 4.9 <0.02 <5.0 <0.3	S-6B	1	90.8		13.6	5			<0.3		
S-7B 1.9 74 <0.2 11.3 4.9 <0.02 <5.0 <0.3 Soil Cleanup Levels in ppm (OAR 340-122-045) Industrial Sites 3 140,000 1.00 1,000 2,000 600 10,000	S-7A	1.5			7.43	2.8			<0.3		
Soil Cleanup Levels in ppm (OAR 340-122-045)   Industrial Sites   3   140,000   1.00   1,000   1,500   2,000   600   10,000	S-7B		74			4.9	<0.02		<0.3		
Industrial Sites 3 140,000 1.00 1,000 1,500 2,000 600 10,000		Soil Cleanup Levels in ppm (OAR 340-122-045)									
	Industrial Sites	3							10,000		


Notes Fotal Metals performed using EPA Method 6010 and 7470 Sample:Identification indicates sampling site number which section of the site the sample was obtained (see Figures 1 (through 8) ≤ means less than


Soil Cleanup Levels are from DEQ's Soil Cleanup Manual Table, Appendix 1


**FIGURES** 

















ANALYTICAL LABORATORY REPORTS



CENTURY WEST ENGINEERING

825 NE MULTNOMAH, SUITE 425 PORTLAND, DR 97232

ANALYST REVIEW BY: AS DATE: 8/1/95

DATE: 8/1/95

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### HYDROCARBON IDENTIFICATION (HCID) BY OREGON DEQ TPH-HCID

SAMPLE ID:	S-1A	S-1B	s-1c	s-1D	S-1E
OAL ID: 25-1687-	39342	39343	39344	39345	39346
SAMPLE DATE:	7/27/95	7/27/95	7/27/95	7/27/95	7/27/95
MATRIX:	SOIL	SOIL	SOIL	SOIL	SOIL
EXTRACTION DATE:	7/28/95	7/28/95	7/28/95	7/28/95	7/28/95
ANALYSIS DATE:	7/30/95	7/30/95	7/30/95	7/30/95	7/30/95
HCID:	ND	ND .	ND	ND	ND
HCID(CONTINUED):	• •	, •	•	ē	•
SURR.RECOVERY %	99.	101.	110.	110.	117.
ANALYST:	RJ	RJ	RJ	RJ	RJ

ORTHO-TERPHENYL WAS USED AS THE SURROGATE NA = NOT ANALYZED GASOLINE REGION (C6 THRU C10) DIESEL REGION (C10 THRU C28) OIL AND BUNKER C REGION (BEYOND C28) ND = NONE DETECTED (GASOLINE < 20 MG/KG, DIESEL < 50 MG/KG) MI = MATRIX INTERFERENCE WITH SURROGATE RECOVERY



CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 ANALYST REVIEW BY:

DATE:

PORTLAND, OR 97232

DATA PACK REVIEW BY:

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### TOTAL METALS EPA METHODS 6010 AND 7470

SAMPLE ID:		S-1A	S-1B	S-1C	S-1D	S-1E
OAL ID: 25	<b>-1687</b> -	39342	39343	39344	39345	39346
SAMPLE DATE	E t	7/27/95	7/27/95	7/27/95	7/27/95	7/27/95
DIGESTION I	DATE:	7/31/95	7/31/95	7/31/95	7/31/95	7/31/95
ARSENIC	PPM	1.56	1.52	1.56	1.83	1.74
BARIUM	PPH	47.9 ×	54.4×	62.8 ×	59,7 ×	50.0 ×
CADMIUM	PPM	<0.2	<0.2	<0.2	<0.2	<0.2
CHROMIUM	PPM	10.6	10.2	11.2	11.4	9.22
LEAD	PPM	<2.5	3.4	<2.5	<2.5	2.6
HERCURY	PPH	<0.02	0.022	<0.02	<0.02	<0.02
SELENIUM	PPH	<5.0	<5.0	<5.0	<5.0	<5.0
SILVER	PPM	<0.3	<0.3	£.0>	<0.3	<0.3

NA = NOT ANALYZED

#### OREGON ANALYTICAL LABORATORY

<sup>\*</sup> Spike recovery outside Q.C. limits. Post spike within limits.

OSM009822



CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 PORTLAND, OR 97232

ANALYST REVIEW BY:

DATA PACK REVIEW BY:

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### HYDROCARBON IDENTIFICATION (HCID) BY OREGON DEQ TPH-HCID

Andrew Th.	001	\$-2B	s-3z	8-7A ·	\$~7B
SAMPLE ID:	3-2A	3-20	3-32	3°76 ,	
DAL ID: 25-1687-	39392	39393	39394	39395	<b>3</b> 9396
SAMPLE DATE:	7/28/95	7/28/95	7/28/95	·7/28/95	7/28/95
MATRIX:	SOIL	SOIL	SOIL	SOIL	SOIL
EXTRACTION DATE:	8/2/95	8/2/95	8/2/95	8/2/95	8/2/95
ANALYSIS DATE:	8/2/95	8/2/95	8/2/95	8/2/95	8/2/95
HCID:	ND	מא	מא	KD	ND
HCID(CONTINUED):	•	•	•	•	•
SURR.RECOVERY X	119.	122.	101.	121.	87.
analyst:	` 8,5	L)	LS	RJ	RJ

ORTHO-TERPHENYL WAS USED AS THE SURROGATE NA = NOT ANALYZED GASOLINE REGION (C6 THRU C10) DIESEL REGION (C10 THRU C28) QIL AND BUNKER C REGION (BEYOND C28) ND = NONE DETECTED (GASOLINE < 20 HG/KG, DIESEL < 50 HG/KG) HI = MATRIX INTERPERENCE WITH SURROGATE RECOVERY

OREGON ANALYTICAL LABORATORY

A Division of Portland General Electric 14855 S.W. Old Scholls Ferry Road Beaverton, OR 97007

Phone 503-590-5800 • Pax 503-590-1404



CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 ANALYST REVIEW BY: TOW

PORTLAND, OR 97232

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### TOTAL METALS EPA METHODS 6010 AND 7470

SAMPLE ID:	•	S-2A	S-2B	. S-3Z	S-7A	S-7B
OAL ID: 25	-1687-	39401	39402	39403	39404	39405
SAMPLE DATE	E:	7/28/95	7/28/95	7/28/95	7/28/95	7/28/95
DIGESTION I	DATE:	7/31/95	7/31/95	7/31/95	7/31/95	7/31/95
ARSENIC	PPM	3.6	3.67	3.7	1.5	1.9
BARIUM	PPH	74.5	84.6	79.8	92.3	74.0
CADHIUH	PPM	<0.2	<0.2	<0.2	~o.2	<0.2
CHROHIUH	PPH ·	14.7 .	17.1	15.2	7.43	11.3
LEAD	РРН	8.0	6.6	5.4	2.8	4.9
HERCURY	PPH	0.024	<0.02	<0.02	0.025	<0.02
SELENIUM	PPH	<5.0	<5.0	<5.0	<5.0	<5.0
SILVER	PPM	<0.3	<0.3	. <0.3	<0.3	<0.3

NA = NOT ANALYZED

OREGON ANALYTICAL LABORATORY

CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 ANALYST REVIEW BY:

PORTLAND, OR 97232

DATA PACK REVIEW BY:

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### HYDROCARBON IDENTIFICATION (HCID) BY OREGON DEQ TPH-HCID

SAMPLE ID:	S-3H	S-3J	S-3I	S-3G
OAL ID: 25-1687-	39397	39398	39399	39400
SAHPLE DATE:	7/27/95	7/27/95	7/27/95	7/27/95
HATRIXI	SOIL	SOIL	SOIL	SOIL
EXTRACTION DATE:	. 8/2/95	8/2/95	8/3/95	8/2/95
ANALYSIS DATE:	8/2/95	8/2/95	8/3/95	8/2/95
HCID:	ND	ND	ИD	ND
hcid(continuéd):	•	•	•	•
SURR.RECOVERY X	105.	92.	172.	104.
ANALYST:	RJ .	RJ	RJ	RJ.

ORTHO-TERPHENYL WAS USED AS THE SURROGATE NA = NOT ANALYZED GASOLINE REGION (C6 THRU C10) DIESEL REGION (C10 THRU C28) DIL AND BUNKER C REGION (BEYOND C28) ND = NONE DETECTED (BASOLINE < 20 HG/KB, DIESEL < 50 HG/KB) HI = MATRIX INTERFERENCE WITH-SURROGATE RECOVERY

OREGON ANALYTICAL LABORATORY



CENTURY WEST ENGINEERING N 825 NE MULTNOMAH, SUITE 425

■ 10 No. ANALYST REVIEW BY: TMW DATE: 8/11/95

PORTLAND, OR 97232

DATA PACK REVIEW BY: \_\_\_\_\_ DATE: 8

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### TOTAL METALS EPA METHODS 6010 AND 7470

SAMPLE ID:		S-3H	S-3J	s-3I	S-3G
OAL ID: 25-	1687-	39406	39407	39408	39409
SAMPLE DATE	1	7/27/95	7/27/95	7/27/95	7/27/95
DIGESTION D	ATE:	7/31/95	7/31/95	7/31/95	7/31/95
ARSENIC	PPH	3.94	3.92	4.07	3.71
BARIUM	PPH	81.9	80.8	82.4	74.0
CADHIUM	PPH	<0.2	<0.2	<0.2	<0.2
CHRONIUM	PPH	15.9	16.1	16.5	14.5
LEAD	PPH	6.9	3.9	3.3	4.08
HERCURY	PPM	0.032	<0.02	0.024	<0.02
SELENIUM	PPH	<5.0	<5.0	<5.0	<5.0
SILVER	PPM	<0,3	<0.3	<0.3	<0.3

NA = NOT ANALYZED

OREGON ANALYTICAL LABORATORY

OAL Oregon Analytic Laborat	al <sup>e</sup>	leaverton, (	diolis Ferry Rd. Oregon 97007 503) 590-5300 - 503) 590-1404 '						0 V 10T								ST	·						Page 1	_ of
Company Lentury 1	rest		•		P	roiec	t Na	me	Pa	(† .	/5	me l		26	<u>-</u> کد ه	nol		Samo	oler's	Name	e A	(lia	یو ک	سلام ہم	
	15EN		;						er <u>4</u>						ستسلي	-				É			Inn		
Address 825 NE P	luthon.	ah <sup>6</sup>	JE 425															Samr	oling	Date/	49		-28-	-95-	
~ ~ ~	7232		,		C	oinu.	ents	3	$\overline{\mathcal{B}}$	16	·L		P	2000	27	_		<u> </u>	_	de Ver				Ø Yes	□ No
Phone #	FAX	#																P	rovi	de FA	X F	lesul:	ts	☑ Yes	□ No
·			TPH HCID	S ISIN	Ī	MATR	in Remarks) XI	8260 (circle) Halogenated	Semivolatiles 625/8270 (circle) Att PARKSIMI Phenol Philmlate	rivateds 608/8080 Pesticide (circle)	sticides 8150		(orde) 418.1		(cárcle) 75 Hg Se Ag	(circle) Pest Herb	dved Official					R -	2 weeks 1 week Rush Other	·	•
Sample Identification		Тіме	0AL# 25 - 168	Safei.		Soil	Other (Note in Renarks)	Volatiles 624/	Semivolatites (	Organochlorinateds All PCB Pestici	Clyonined Herbicides	TPH-HCID OR	TPH Quantification G D 418 1M	BTEX 602/8020	TCLP Metabs As & Cd Cr	TCLP Organics Vol Semivol	Metals Obissol					Turmaround	r	RENIAR neta	
1 5-3A	1/2/3	-	39392		٠.							Y					×		$\rightarrow$					3940	<u> </u>
2 5-2B	15/4	\$	39393	3 7	1		Ц					٧					8					$\perp$		3940	2
3 15-32			39399	+ 1	1							الا					4							394	33
4 5-7A		<u> </u>	3939	5   3								4		<u> </u>			4							394	04 :
5 5-7B		1	3939	6 7	1				1			*					У							39L	105
6 5-3H	1/27/4	4	3939	7 7	2							ď					r							394	-06
7 5-37			3939	8	2							X					X							394	07
8 5-37			3939	9 1		_	T	Ι.	7	T		4		{		-	X							394	408 <b>D</b>
9 5-3.6			394									X					X							391	409
- 10			}		1		Τ			T															
Signature	aujshed	١٩٣	28 /25	Signatur					Rull	nuvish	ød		Date			7	Ī	Ship	ped	Via _	开	àп	<u>d</u> d	eluc	erred .
Pini Name of Lerses Company Untry Mest	in		625	Print Nai	·								Yuma			4				i @ _ iate C		-\ ainer	_ °c s b\/	'es 🗀 ì	No
Signature Re	GHIVed	Date		Signatur Print Na		== >~	10 11	=	4.		<u></u>	7	Date	i/za	3/9 5 P	5		<u></u>	<u> </u>	V P	/OA	8oz. Via ic Bo	als ottles		
Сотрану				Compen	, t	بارم. ح		<del>)                                    </del>	4	<u></u>							1			•	rias ithe		11153		

OSM009827



CENTURY WEST ENGINEERING

ANALYST REVIEW BY: \_

DATE: \_\_

817/95

825 NE MULTNOMAH, SUITE 425 PORTLAND, OR 97232

DATA PACK REVIEW BY:

Khus

DATE:

8/7/9

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

## HYDROCARBON IDENTIFICATION (HCID) BY OREGON DEQ TPH-HCID

SAMPLE ID:	S-4A	S-4B	S-4C	S-4D	S-4E
OAL ID: 25-1687-	39428	39429	39430	39431	39432
SAMPLE DATE:	7/31/95	7/31/95	7/31/95	7/31/95	7/31/95
MATRIX:	SOIL	SOIL	SOIL	SOIL	SOIL
EXTRACTION DATE:	8/3/95	8/1/95	8/1/95	8/1/95	8/1/95
ANALYSIS DATE:	8/3/95	8/2/95	8/2/95	8/2/95	8/2/95
HCID:	ND	ND	ND	ND	מא
HCID(CONTINUED):		•	•		•
SURR.RECOVERY %	109.	116.	115.	112.	111.
ANALYST:	RJ	ŖJ	RJ	RJ	RJ

ORTHO-TERPHENYL WAS USED AS THE SURROGATE

NA = NOT ANALYZED

GASOLINE REGION (C6 THRU C10)

DIESEL REGION (C10 THRU C28)

OIL AND BUNKER C REGION (BEYOND C28)

ND = NONE DETECTED (GASOLINE < 20 MG/KG, DIESEL < 50 MG/KG)

MI = MATRIX INTERFERENCE WITH SURROGATE RECOVERY

#### OREGON ANALYTICAL LABORATORY



CENTURY WEST ENGINEERING

ANALYST REVIEW BY: \_

RJ DATE: 8/7/95

825 NE MULTNOMAH, SUITE 425 PORTLAND, OR 97232

DATA PACK REVIEW BY: \_

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### HYDROCARBON IDENTIFICATION (HCID) BY OREGON DEQ TPH-HCID

SAMPLE ID: S-4Z OAL ID: 25-1687-39433 SAMPLE DATE: 7/31/95 MATRIX: SOIL EXTRACTION DATE: 8/1/95 ANALYSIS DATE: 8/2/95 HCID: ND HCID(CONTINUED): SURR.RECOVERY X 109. ANALYST: RJ

ORTHO-TERPHENYL WAS USED AS THE SURROGATE NA = NOT ANALYZED GASOLINE REGION (C6 THRU C10) DIESEL REGION (Clo THRU C28) OIL AND BUNKER C REGION (BEYOND C28) ND = NONE DETECTED (GASOLINE < 20 MG/KG, DIESEL < 50 MG/KG) MI = MATRIX INTERFERENCE WITH SURROGATE RECOVERY

#### **OREGON ANALYTICAL LABORATORY**

CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425

PORTLAND, OR 97232

DATA PACK REVIEW BY:

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### TOTAL METALS EPA METHODS 6010 AND 7470

SAMPLE ID:		S-4A	S-4B	S-4C	S-4D	S-4E
OAL ID: 25	-I687 <i>-</i>	39434	39435	39436	39437	39438
SAMPLE DATE	£:	7/31/95	7/31/95	7/31/95	7/31/95	7/31/95
DIGESTION !	DATE:	8/3/95	8/3/95	8/3/95	8/3/95	8/3/95
ARSENIC	PPM	1.5	1.7	1.6	1.5	1.4
BARIUM	PPM	55.2	59.8	49.7	49.4	56.4
CADMIUM	PPM	<0.2	<0.2	<0.2	<0.2	<0.2
CHROMIUM	PPH	10.6	11.8	12.1	8.88	13.8
LEAD	PPH	<2.5	<2.5	. <2,5	<2.5	3.2
MERCURY	PPH	<0.02	<0.02	<0.02	<0.02	<0.02
SELENIUM	PPH	<5.0	<5.0	<5.0	<5.0	<5.0
SILVER	PPM	<0.3	<0.3	<0.3	<0.3	<0.3

NA = NOT ANALYZED

#### **OREGON ANALYTICAL LABORATORY**

## OAL

CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 PORTLAND, OR 97232 ANALYST REVIEW BY: The Wally on

DATE: 8/11/95

DATA PACK REVIEW BY:

DATE:

8/11/95

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

TOTAL METALS
EPA METHODS 6010 AND 7470

SAMPLE ID:		S-4Z
OAL ID: 25	-1687-	39439
SAMPLE DATE	<b>∶</b> :	7/31/95
DIGESTION 1	DATE:	8/3/95
ARSENIC	PPM	1.5
BARIUM	PPH	50.4
CADHIUM	PPH	<0.2
CHRONIUM	PPM	9.75
LEAD	PPH	<2.5
MERCURY	PPH	<0.02
SELENIUM	PPM	<5.0
SILVER	PPH	<0.3

NA = NOT ANALYZED

#### OREGON ANALYTICAL LABORATORY

OSM\009832



CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 ANALYST REVIEW BY:

PORTLAND, OR 97232

DATA PACK REVIEW BY:

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### HYDROCARBON IDENTIFICATION (HCID) BY OREGON DEG TPH-HCID

SAMPLE ID:	S-6A	S-6B	S-5A	S-5B	S-3A
OAL ID: 25-1687-	39248	39249	39250	39251	39252
SAMPLE DATE:	7/26/95	7/26/95	7/26/95	7/26/95	7/26/95
HATRIX:	SOIL	SOIL	SOIL	SOIL	SOIL
EXTRACTION DATE:	7/28/95	7/28/95	7/28/95	7/28/95	7/28/95
ANALYSIS DATE:	7/30/95	7/30/95	7/30/95	7/30/95	7/30/95
HCID:	ND	מא	ND	ND	ND
HCID(CONTINUED):	•		•	•	•
SURR.RECOVERY %	114.	110.	111.	108.	114.
ANALYST:	RJ	RJ	RJ	RJ	RJ

ORTHO-TERPHENYL WAS USED AS THE SURROGATE NA = NOT ANALYZED GASOLINE REGION (C6 THRU C10) DIESEL REGION (C10 THRU C28) OIL AND BUNKER C REGION (BEYOND C28) ND = NONE DETECTED (GAŞOLINE < 20 MG/KG, DIESEL < 50 MG/KG) HI = MATRIX INTERFERENCE WITH SURROGATE RECOVERY

#### OREGON ANALYTICAL LABORATORY

A Division of Portland General Electric 14855 S.W. Old Scholls Ferry Road Beaverton, OR 97007

## OAL

CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 PORTLAND, OR 97232 ANALYST REVIEW BY: 85 DATE: 8/1/95

DATA PACK REVIEW BY:

10 DATE: 8/1/95

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

## HYDROCARBON IDENTIFICATION (HCID) BY OREGON DEQ TPH-HCID

SAMPLE ID:	S-3B	\$-3C	s-3D	S-3E	S-3F
OAL ID: 25-1687-	39253	39254	39255	39256	39257
SAMPLE DATE:	7/26/95	7/26/95	7/26/95	7/26/95	7/26/95
MATRIX:	SOIL	SOIL	SOIL	SOIL	SOIL
EXTRACTION DATE:	7/28/95	7/28/95	7/28/95	7/28/95	7/28/95
ANALYSIS DATE:	7/30/95	7/30/95	7/30/95	7/30/95	7/30/95
HCID:	ND	ND	ND	ND	ND
HCID(CONTINUED):	•	•	•	•	•
SURR.RECOVERY %	103.	109.	122.	109.	125.
ANALYST:	RJ	. RJ	RJ	RJ	RJ

ORTHO-TERPHENYL WAS USED AS THE SURROGATE

NA = NOT ANALYZED

GASOLINE REGION (C6 THRU C10)

DIESEL REGION (C10 THRU C28)

OIL AND BUNKER C REGION (BEYOND C28)

ND = NONE DETECTED (GASOLINE < 20 HG/KG, DIESEL < 50 HG/KG)

HI = MATRIX INTERFERENCE WITH SURROGATE RECOVERY

OREGON ANALYTICAL LABORATORY



CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 PORTLAND, OR 97232

DATE: 8/11/95

DATE: 8/11/95

DATE: 8/11/95

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

#### TOTAL METALS EPA METHODS 6010 AND 7470

SAMPLE ID:		S-6A	S-6B	S-5A	S-5B	S-3A	
OAL ID: 25-1687-		39258	39259	39260	39261	39262	
SAMPLE DATE	E:	7/26/95	7/26/95	7/26/95	7/26/95	7/26/95	
DIGESTION I	DATE:	7/31/95	7/31/95	7/31/95	7/31/95	7/31/95	
ARSENIC	PPM	1.8	1.0	1.5	1.3	4.00	
BARIUM	PPM	43.1	90.8	65.9	83.8	79.8	
CADHIUM	PPM	<0.2	<0.2	<0.2	<0.2	<0.2	
CHROHIUM	PPM	10.3	13.6	13.7	22.0	17.2	
LEAD	PPM	3.5	5.0	3.3	4.0	5.6	
MERCURY	PPH	0.020	0.023	<0.02	0.022	0.021	
SELENIUM	РРИ	<5.0	<5.0	<5.0	<5.0	<5.0	
SILVER	PPM	<0.3	<0.3	<0.3	<0.3	<0.3	

NA = NOT ANALYZED

#### OREGON ANALYTICAL LABORATORY

## OAL

CENTURY WEST ENGINEERING 825 NE MULTNOMAH, SUITE 425 PORTLAND, OR 97232 ANALYST REVIEW BY: 8/11/95 Trau

DATE: 8/11/85

DATA PACK REVIEW BY:

DATE: 4

ALICE LARSEN 231-6078FAX 231-6482 R001322/40038-101-01

TOTAL METALS
EPA METHODS 6010 AND 7470

SAMPLE ID:		S-3B	S-3C	S-3D	S-3E	S-3F
OAL ID: 25	-1687-	39263	39264	39265	39266	39267
SAMPLE DAT	E:	7/26/95	7/26/95	7/26/95	7/26/95	7/26/95
DIGESTION	DATE:	7/31/95	7/31/95	7/31/95	7/31/95	7/31/95
ARSENIC	PPM	3.65	2.9	2.9	3.2	3.97
BARIUM	PPM	69.7	71.2	54.5	80.8	83.8
CADHIUM	PPH	<0.2	<0.2	<0.2	<0.2	<0.2
CHROMIUM	. PPM	17.5	. 11.8	11.8	13.4	18.0
LEAD	PPH	6.4	5.3	2.7	5.9	6.0
MERCURY	PPM	0.021	0.023	0.021	0.036	0.023
SELENIUM	PPH	<5.0	<5.0	<5.0	<5.0	<5.0
SILVER	PPH	<0.3	<0.3	<0.3	<0.3	<0.3

NA = NOT ANALYZED

OREGON ANALYTICAL LABORATORY

OAL Orego Analy Labor	tical <sup>E</sup>	i.W. Old Scholls Ferry R Leaverton, Oregon 970 (503) 590-53 FAX (503) 580-14	07 00	CHAIN OF CUSTODY RECORD LABORATORY ANALYSIS REQUEST											Page _	of	]•		
Company <u>Century</u>	any Century West				Project Name Port - Sircharge Sangely Sampler's Name Alvice							2 L	arsen						
Contact Alice Larsen F			Pro	Project Number 40038-101-01 Signature Minister							/	_		•					
Address B25 ME	Multro	meh Sto	425	P.C								s	Sampling Date 7/- /95				<b>-</b> _		
PDX, O	R 972	<u> </u>			minents	·						「	Provide Verbal Results Yes No				_		
Phone # 231 60	78 FAX	# 231 64	182		BIL	- L F	OR	Τ_	DIV	EC	12 Y		Provid	le FAX	Results	Ź	Yes [	⊃ No	
Sample Identificati		HCI TIME OA 25 - 3	L# #50 5	Soil	Water Mae in Remarks!	Volvilles 624/8260 (circle) All Atomatic Halogenated Senivolaties 625/8270(circle)	Organochomateds 608/8080 All PC8 Pesticide (circle)	Chloritated Herbicides 8150	TPH-HCID OR DEG Quantily? - Free : :TNo TPH Quantification (dirde) G D 418,1M 418.1	BTEX 602/8020 Z	As Be Cd Cr Pb Hg Se Ag CT TCLP Organics (cardel	Vol Senivol Pest Herb Metals Obissolved Afotal Est RCKA &			S - I V R - Ru O - Oi	week ish her	RENIARKS	<del></del>	
1.5-6A	1/26/95	392		1			<del> </del>		X	_		<u> </u>				353	925		
<sup>2</sup> 5-6B	<del></del>	392		-					X	-		1		_	-	100	92 <b>5</b> 5		
3 575A		397		-			<b>↓</b>		X		_	\ X		_ _	1	- 33	3926		
4 5-5B	<del></del>	392	251 12						7		$\bot$	*				**	3926		
5, 5, -3,A		39	252 2						1			X			<u> </u>		<u> 3976</u>	2	
6 5-38		39	253 la						<u> </u>			×					397€	3	
7-5-35		39	254 1						<u>V</u>		$\perp$	X					392	34	
§ 5-30		39	255 a	<b>i</b> _					<b>V</b>			X					392		1_
2, 5-3E	T	39	256 2						V		_	X					392	66	
10, 5,73F		39	257 2						¥			×					397	<b>£</b> 7	
Elin Jane	linguished	Date 7-27-95				Rei	inovish	od	Date						hans				=
Company Larsan	Company 7.52										Received @ °C Appropriate Containers								
Signytike	Racelved Oete 7-27-95				me Time					-	VOA Vials Plastic Bottles Glass Bottles								
												<u> </u>		othe	<u> </u>				=_

OSM009837